

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	652	398/45,55,56,82.ccls.	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2003/09 /22 16:52
2	BRS	L2	2113	optical\$5 same (cross-connect\$4 or (cross adj2 connect\$4)) same switch\$4	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2003/09 /22 16:52
3	BRS	L4	1700	385/25,42,47.ccls.	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2003/09 /22 16:52
4	BRS	L3	154	1 and 2	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2003/09 /22 16:53
5	BRS	L5	33	2 and 4	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2003/09 /22 18:20
6	BRS	L6	498	1 not 3	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2003/09 /22 18:20
7	BRS	L7	1667	4 not 5	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2003/09 /22 18:20
8	BRS	L8	2139	6 or 7	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2003/09 /22 18:21

09/811834

	Type	L #	Hits	Search Text	DBs	Time Stamp
9	BRS	L9	411	385/25.ccls.	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2003/09 /22 18:21
10	BRS	L10	625	385/42.ccls.	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2003/09 /22 18:21
11	BRS	L11	714	385/47.ccls.	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2003/09 /22 18:21

	Document ID	<input type="checkbox"/> Source	Issue Date	Pages	Title	Current OR	Current XRef
1	US 20010050787 A1	<input checked="" type="checkbox"/>	US-PGPUB 20011213	19	Electro-optical component having a reconfigurable phase state	359/15	359/3; 359/9; 398/15; 398/39; 398/82
2	US 6600849 B2	<input checked="" type="checkbox"/>	USPAT 20030729	14	Control system for optical cross-connect switches	385/17	385/16; 385/18; 385/19; 385/24; 398/82
3	US 5274487 A	<input checked="" type="checkbox"/>	USPAT 19931228	26	Photonic switching system	398/50	385/16; 385/7; 398/56; 398/61; 398/63
4	US 6535311 B1	<input checked="" type="checkbox"/>	USPAT 20030318	8	Wavelength selective cross-connect switch using a MEMS shutter array	398/82	359/246; 359/494; 359/495; 359/497; 359/499